

The documents have to be uploaded in the ACHEMA Exhibitor Portal at www.achema.de/exhibitorportal by 14 April 2021 at the latest.

Exhibits		Fact sheet	Registration and approval form
Exhibits with chemical, physical or biological risk potential	High-energy or high-performance LED and lighting systems	Operation of high-energy and high-per- formance LED and lighting systems	subject to notification or approval Form: Registration of devices with LED emit- ters and/or powerful LED spotlights/ systems
	Legionnaires' disease	Prevention of legionnaires' disease	
	Laser systems	Laser systems	subject to notification or approval Form: Registration of laser equipment
	Fog machines, hazers	Fog machines, hazers	subject to approval Form: Use of fog machines/hazers
	X-ray systems or stray radiation sources Technical Regulations 5.10.2		subject to approval Form: Use of X-ray systems or stray radiation sources
	Work involving a fire hazard, work with open flame	Work involving a fire hazard, work with open flame	subject to notification or approval Form: Use of flammable liquids, Set up of compressed and liquid gas cylinders
	Flammable liquids Technical Regulations 5.7.2		subject to approval Form: Use of flammable liquids
	Compressed or liquid gases	Liquid gas	subject to approval Form: Set up of compressed and liquid gas cylinders
	Pressure vessels Technical Regulations 5.6.3		subject to notification via veranstaltungstechnik@messefrankfurt.com
	Hazardous materials Technical Regulations 5.7.4		subject to approval Form: Use of hazardous materials
	Radioactive materials Technical Regulations 5.10.1		subject to approval Form: Use of radioactive material
	High-frequency equipment, radio transmitters, electromagnetic fields	Information on short-term frequency use	subject to approval Form: Application for short time frequency assignment
	Demonstration of gas-powered devices without an exhaust system	Demonstration of gas-powered devices without an exhaust system	subject to notification informal

Before the employment of all hazardous media it must be examined if the use is essential for the exhibition purpose or if a safer substitute can be applied.