

The following stand constructions are not subject to approval:

- single-storey stands
 - having a surface no larger than 100 m²
 - not higher than 4.00 m
 - as far as they are not considered as special constructions

The following stand constructions are subject to approval:

- stand areas larger than 100 m²
- stand structures and exhibits higher than 4.00 m *
- two-storey structures *
- screening or spectator rooms
- stages/platforms
- outdoor structures *
- temporary structures, tents *

- special constructions:
 - suspensions
 - boundary construction to the aisles
 - moving components
 - glass/acrylic glass construction
 - stair/railing/platform with a height > 20 cm *
 - stand with ceiling/closed ceilings
 - floor/ceiling connections *
 - darkened stand area
 - foundation works *

In addition to the Technical Regulations, the factsheets for stand construction and exhibits have to be taken into account.

The following documents have to be uploaded in the Exhibitor Portal www.achema.de/exhibitorportal in German or English language for verification by 10 April 2024 at the latest:

- *checked or checkable static calculations complying with German building standards or type certification/certification book
- stand drawings (floor plans, side/top/perspective views, sectioned drawings) drawn to a suitable scale, e.g. 1:100 plus ceiling schematic including dimensions of the enclosed ceiling area(s)
- building description specifying materials used (including certificates where applicable)
- escape route plan including lengths and widths of emergency escape route(s)
- plans of suspension giving the corresponding distribution of weights
- stand constructor and person to contact (company, e-mail, phone, person to contact on-site including mobile number)

In the event that static calculations examined by a second, independent structural engineer were submitted, a fee for the inspection on-site will be charged.


If there is no certified static analysis at hand or a certified static is not feasible, costs arise for the verification of the static calculations as well as for the inspection on-site.

If there is no static at all, costs arise for the static calculations as well as an omission surcharge and for the inspection on-site. Costs will be charged for every inspected component.

All stand structures in the outdoor area

Stand areas $> 100.00 \text{ m}^2$


Stand structures and exhibits more than 4 m high and special constructions:



Exhibits and hazardous media see fact sheet „Guideline Exhibits“.

Single-storey stands

- as far as they are not considered as special constructions (e.g. closed ceilings, stand structures and exhibits more than 4 m high, platforms with a height > 20 cm, glass/acrylic glass constructions, floor/ceiling connections, advertising media, turntables, moving components, etc.).



Exhibits and hazardous media see fact sheet „Guideline Exhibits“.

On request DECHEMA would be pleased to check exhibitors' submitted stand construction plans, even if they do not require approval.